

Diseases, Disorders and Injuries

Multi-Drug Resistant Tuberculosis (MDR-TB)

On this page

[What is Multi-Drug Resistant Tuberculosis?](#)

[How does TB become drug resistant?](#)

[Why is MDR-TB more dangerous?](#)

[Is MDR-TB a problem in Canada?](#)

[Can drug resistance be prevented?](#)

[How can we prevent the transmission of MDR-TB?](#)

What is Multi-Drug Resistant Tuberculosis?

Tuberculosis (TB) is an infectious disease caused by a germ called *Mycobacterium tuberculosis*. Tuberculosis is spread from human to human through the release of droplets from the lungs or airways of an infected person. air when a person sneezes, coughs, or breathes. This spread can happen through, coughing, sneezing, singing, playing a wind instrument, and talking (to a lesser extent). Multi-Drug Resistant Tuberculosis (MDR-TB) is resistant to at least two of the main "first-line" drugs used to treat TB. TB may also be extensively drug-resistant (XDR-TB) which are strains that are resistant to two or more of the "second-line" drugs.

TB primarily attacks the respiratory system (lungs) although it can attack other organs as well. The symptoms of TB include fever, night sweats, weight loss, chest pain, and coughing. See the OSH Answers fact sheet on [Tuberculosis](#) for more information.

How does TB become drug resistant?

Tuberculosis can become resistant if a patient is not treated long enough, doesn't take prescribed medications properly, or doesn't receive the right drugs.

Why is MDR-TB more dangerous?

In addition to the increased difficulty in treating the disease, the patient remains infectious longer increasing the risk to the public and to healthcare workers.

MDR-TB also appears in association with HIV infection and AIDS, further compromising the health and the immune system of these patients. HIV itself does not increase the chance of drug resistance. HIV does accelerate the progression of TB infection into active TB disease.

Is MDR-TB a problem in Canada?

The [Government of Canada](#) states that "For most Canadians, the risk of developing tuberculosis (TB) is very low. Still, there are about 1,600 new cases of TB reported in Canada every year, so it is important to know the symptoms and how to minimize your risk."

The Public Health Agency of Canada noted that of the 1,3761,772 cases of TB diagnosed in 2020, 14, 19 (1.4%) were classified as MDR-TB.

Although drug-resistant TB has not yet been identified as a major problem in Canada, the potential exists due to the increase of international travel.

The World Health Organization reports that "Globally in 2018, an estimated 484 000 people developed multidrug-resistant TB (MDR-TB). TB incidence has fallen by an average of 1.5% per year since 2000." 2012, an estimated 450 000 people developed MDR-TB and there were an estimated 170 000 deaths from MDR-TB."

Can drug resistance be prevented?

The Public Health Agency of Canada advocates the use of directly observed therapy (DOT). Along with the proper prescription of drugs, directly observed therapy DOT monitoring helps to make sure that patients take the prescribed medications for the appropriate periods of time. It is essential to finish treating TB properly (which takes at least 6 months) to greatly reduce the risk of a drug resistant TB from developing.

How can we prevent the transmission of MDR-TB?

The Government of Canada's website has a series of documents on [Tuberculosis](#). From this site, the Canadian Tuberculosis Standards (78th edition) [Chapter 15: Prevention and Control of Tuberculosis Transmission in Health Care and Other Settings](#) [Chapter 14: Prevention and control of tuberculosis transmission in healthcare settings](#) describes a recommended Tuberculosis Management Program, and lists control procedures in various occupational settings including hospitals, other health care settings, residential and community care settings, and correctional facilities.

Fact sheet last revised: 2023-03-15

Disclaimer

Although every effort is made to ensure the accuracy, currency and completeness of the information, CCOHS does not guarantee, warrant, represent or undertake that the information provided is correct, accurate or current. CCOHS is not liable for any loss, claim, or demand arising directly or indirectly from any use or reliance upon the information.